



A Product Technical Statement *from* MyEstate Limited



PTS # 2548

EXPIRY DATE: 30 November 2026

The Woven Strand Bamboo Board Product from MyEstate Ltd



Product

1.1 The Indoor/Outdoor Woven Strand Bamboo Board from MyEstate Ltd, is a modern, durable, low maintenance board 140mm x 20mm, supplied in 1,850mm lengths that can be used for decking and soffits that includes:

- ⇒ A hidden fixing system;
- ⇒ A dimensionally consistent board profile;

1.2 The Woven Strand Bamboo product is intended to be installed over either timber framing complying with NZS3604, or Light Gauge Steel framing complying with NAS Standard 1.

1.3 The Woven Strand Bamboo product is to be installed under the supervision of an experienced and competent tradespersons in accordance with the manufacturer's instructions.

Scope and Limitations

- 3.1 The Woven Strand Bamboo product is subject to the following scope of use or limitations:
- ⇒ Used in an indoor or external environment above ground, with a (seismic) locality factor (Z) of up to 0.42 (Upper Hutt), in a temperate climate, with wind zones up to and including 55m/sec (Extra High);
 - ⇒ The design height of residential buildings shall be up to and including 10m from the finished ground level with timber framing constructed as per NZS 3604;
 - ⇒ The product is for use over timber or light gauge steel deck substructures or timber soffit framing incorporating a code compliant 'frame protection system' such as a building paper or a rigid air barrier;
 - ⇒ The product is limited to use for residential housing including Class 1 and Class 2 type construction, i.e. stand-alone houses and multi-apartment dwellings, up to three stories high;
 - ⇒ The product shall be installed in accordance with the approved technical and quality plan literature provided by MyEstate Limited, available from their web site www.myestate.nz;

The Woven Strand Bamboo product has been appraised as an 'Alternative Solution' in terms of compliance with the New Zealand Building Code.

Manufacturer:

MyEstate Limited.
33A Anzac St, Takapuna
Beach, 0622
P: 021 799 842
E: info@myestate.nz
www.myestate.nz

Reviewed by:

BEAL
6B Cedric Place
Plimmerton, Porirua, NZ
P: +64 4 233 6661
E: bts@beal.co.nz
www.beal.co.nz

Accessories

Accessories for the Product, include:

- ⇒ A hidden fixing clip and screws - see diagram below



Note 1: Fixing centres are 400mm minimum and 600mm maximum.

Technical Literature

4.1 'MyEstate Woven Strand Bamboo Board Installation Guide'.

4.2 'MyEstate Woven Strand Bamboo Board Maintenance Guide'.

4.3 'MyEstate Woven Strand Bamboo Board Warranty'.

For a copy of this technical literature please contact MyEstate Ltd; www.mystate.nz

Note: On completion of the installation of the **MyEstate Woven Strand Bamboo Board**, the building owner shall be supplied with a maintenance schedule/ document.

Demonstrating Compliance

5.1 Based on the limited functions of this product, the applicable performance clauses are -

B1.3.3 (b) gravity loads

B2.3.1(b) Having a durability of at least 15 years

F2.3.1 Having no components that are dangerous or unhealthy for users

5.2 For verifying compliance with performance clause B1.3.3 (b), reliance by BEAL was made from a Technical Specifications of **Woven Strand Bamboo** provided by the manufacturer, dated 15th April 2025.

5.3 For verifying compliance with performance clause B1.3.3 (b), reliance was made on a combination of a statement from the manufacturer, together with an opinion from BEAL.

5.4 For verifying compliance with performance clause F2.3.1, reliance was made on a combination of a statement from the manufacturer, together with an opinion from BEAL.

Warranty

6.1 MyEstate Limited provides a limited 15 year warranty.

Such warranty is subject to the correct installation and ongoing maintenance as described in the manufacturer's maintenance literature.

Email: info@mystate.nz

Reference documents

- ◆ 'Installation Method of the Woven Strand Bamboo Product'.
- ◆ 'Maintenance of the Woven Strand Bamboo Product'.
- ◆ The MyEstate product Warranty document

Reviewed by BEAL

7.1 This Product Technical Statement is the result of a review of the technical literature together with statements from the manufacture by technical experts from BEAL as one means of demonstrating compliance with each of the applicable performance clauses of the New Zealand Building Code.

7.2 The review has been carried taking into account the scope and limitations of the use of the product.

7.3 This Product Technical Statement is issued subject to BEAL's terms and conditions which include an annual review of relevant information by BEAL. For further information about BEAL, visit the web page titled [WHO IS BEAL?](#)

C R Prouse - Director
Building Element Assessment Laboratory Ltd
Issued 21st November 2025

